

# QuickVet<sup>®</sup> Analyzer Diagnostic System

---

Material Safety Data Sheet for  
QuickVet<sup>®</sup>/RapidVet<sup>®</sup> Canine DEA 1.1 Blood Typing Test<sup>™</sup>  
Version: August 31, 2011

The product covered hereby does not contain any hazardous chemical or other substances as defined under 29 CFR 1910. Nevertheless certain information that some may consider pertinent to the promotion of safety is provided.

**Product** QuickVet<sup>®</sup>/RapidVet<sup>®</sup> Canine DEA 1.1 Blood Typing Test<sup>™</sup>.

**Composition** The test kit contains polystyrene cartridges carrying IR-dried canine DEA 1.1 monoclonal antibodies stabilized in StabilCoat<sup>®</sup> (an aqueous, protein-containing solution). Each cartridge is in a heat sealed pouch. The test kit also contains phosphate buffered saline diluent in a screw-top dropper bottle. Desiccant, plastic pipette tips and centrifuge tubes are also included. No sharp objects are included.

**Identification of medical hazards** The phosphate buffered saline is essentially pH neutral and is, at most, a minor irritant to the skin or eyes. The cartridges containing IR-dried monoclonal antibodies and StabilCoat<sup>®</sup>, the plastic pipettes and centrifuge tubes present no foreseeable medical hazards either alone or in conjunction with other kit components.

**First-aid measures** If contamination with the phosphate buffered saline occurs, thorough washing and/or flushing with water should be sufficient.

**Precautions in case of fire** The product is not combustible. While the combustion by-products are not precisely known, the product's presence does not dictate protective measures beyond those of normal fire fighting activities.

**Handling, storage, and spillage** This product requires no special storage or handling. It produces no noxious decomposition products. In case of spillage of the phosphate buffered saline, normal cleaning and disposal modalities can be utilized.

**Abnormal reaction products** Contact with other chemicals does not produce noxious reaction products.

**Toxicology** Due to the packaging, unintentional ingestion, except by splattering during use as a result of the employment of less than good laboratory practices, is not foreseeable. Small amounts of the phosphate buffered saline that could be associated with splattering are not considered toxic. In case of intentional ingestion, a physician should always be consulted.

**Disposal** The product, used or unused, can be disposed of using modalities normally used by the laboratory or veterinary practice for diagnostic devices. However, because of presence of blood products, disposal employing incineration modalities is preferred.

The information provided is general in nature.

In case of emergency contact:

Scandinavian Micro Biodevices ApS  
Gammelgaardsvej 87C  
3520 Farum  
Denmark

☎ +45 7020 7303

[FAX] +45 7020 7304

✉ info@smb.dk

🌐 www.quickvet.net

dmslaboratories, inc.  
2 Darts Mill Road  
Flemington, NJ 08822  
USA

☎ (908) 782 3353

(800) 567 4367

[FAX] (908) 782 0832

✉ dms@rapidvet.com

🌐 www.rapidvet.com